LIST OF CONTENTS

VOLUME 14

NUMBER 1

R. Tuinier, E. ten Grotenhuis, C. G. de Kruif	1	The effect of depolymerised guar gum on the stability of skim milk
B. Quemener, C. Marot, L. Mouillet, V. Da Riz, J. Diris	9	Quantitative analysis of hydrocolloids in food systems by methanolysis coupled to reverse HPLC. Part 1. Gelling carrageenans
B. Quemener, C. Marot, L. Mouillet, V. Da Riz, J. Diris	19	Quantitative analysis of hydrocolloids in food systems by methanolysis coupled to reverse HPLC. Part 2. Pectins, alginates and xanthan
M. M. Ould Eleya, S. L. Turgeon	29	Rheology of κ-carrageenan and β-lactoglobulin mixed gels
M. Corredig, W. Kerr, L. Wicker	41	Molecular characterization of commercial pectins by separation with linear mix gel permeation columns in-line with multi-angle light scattering detection
Y. Matsumura, D-S. Lee, T. Mori	49	Molecular weight distributions of α-lactalbumin polymers formed by mammalian and microbial transglutaminases
A. G. Marangoni, S. Barbut, S. E. McGauley, M. Marcone, S. S. Narine	61	On the structure of particulate gels—the case of salt-induced cold gelation of heat-denatured whey protein isolate
K. Landström, J. Alsins, B. Bergenståhl	75	Competitive protein adsorption between bovine serum albumin and β-lactoglobulin during spray-drying
R. K. O. Apenten, B. Buttner, B. Mignot, D. Pascal, M. J. W. Povey	83	Determination of the adiabatic compressibility of bovine serum albumen in concentrated solution by a new ultrasonic method

NUMBER 2

S. Neiser, K. I. Draget, O. Smidsrød	95	Gel formation in heat-treated bovine serum albumin–κ-carrageenan systems
E. A. Podorozhko, E. A. Kurskaya, V. K. Kulakova, V. I. Lozinsky	111	Cryotropic structuring of aqueous dispersions of fibrous collagen: influence of the initial pH values
H. Zhang, L. Huang, K. Nishinari, M. Watase, A. Konno	121	Thermal measurements of curdlan in aqueous suspension during gelation
S. Yamanaka, Y. Yuguchi, H. Urakawa, K. Kajiwara, M. Shirakawa, K. Yamatoya	125	Gelation of tamarind seed polysaccharide xyloglucan in the presence of ethanol
Q. Wang, P. R. Ellis, S. B. Ross-Murphy	129	The stability of guar gum in an aqueous system under acidic conditions
M. Boulet, M. Britten, F. Lamarche	135	Aggregation of some food proteins in aqueous dispersions: effects of concentration, pH and ionic strength
E. Davies, E. Dickinson, R. Bee	145	Shear stability of sodium caseinate emulsions containing monoglyceride and triglyceride crystals
S. R. Euston, S. R. Finnigan, R. L. Hirst	155	Aggregation kinetics of heated whey protein-stabilized emulsions
E. K. Chamberlain, M. A. Rao	163	Effect of concentration on rheological properties of acid-hydrolyzed amylopectin solutions
D. J. McClements	173	Comments on viscosity enhancement and depletion flocculation by polysaccharides
P. H. Risso, C. A. Gatti, S. M. Zerpa, G. R. Perez	179	Comparative study of the action of anionic and non-ionic hydrophobic fluorescent markers on the enzymic coagulation of heated bovine casein micelles

NUMBER 3

P. A. Williams	189	Preface
P. M. Gilsenan, S. B. Ross-Murphy	191	Rheological characterisation of gelatins from mammalian and marine sources
Y. Hemar, A. J. R. Law, D. S. Horne, J. Leaver	197	Rheological investigations of alkaline-induced gelation of skimmed milk and reconstituted skimmed milk concentrates
C. Michon, F. Vigouroux, P. Boulenguer, G. Cuvelier, B. Launay	203	Gelatin/iota-carrageenan interactions in non-gelling conditions
R. M. Savage	209	Effects of rheology modifiers on the flow curves of idealised and food suspensions
B. Wolf, R. Scirocco, W. J. Frith, I. T. Norton	217	Shear-induced anisotropic microstructure in phase-separated biopolymer mixtures
G. A. Morris, T. J. Foster, S. E. Harding	227	The effect of the degree of esterification on the hydrodynamic properties of citrus pectin

M. Norsker, M. Jensen, J. Adler-Nissen 237 Enzymatic gelation of sugar beet pectin in food products

M. M. Ould Eleya, S. L. Turgeon 245 The effects of pH on the rheology of β-lactoglobulin/κ-carrageenan mixed gels

C. Clamens, F. Rincón, A. Vera, L. Sanabria, G. León de Pinto 253 Species widely disseminated in Venezuela which produce gum exudates

G. L. de Pinto, M. Martínez, L. Sanabria, F. Rincón, A. Vera, O. Beltrán, C. Clamens 259 The composition of two *Spondias* gum exudates

C. Viebke, P. A. Williams 265 Determination of molecular mass distribution of κ-carrageenan and xanthan using asymmetrical flow field-flow fractionation

NUMBER 4

V. Langendorff, G. Cuvelier, C. Michon, B. Launay, A. Parker , C. G. De kruif 273 Effects of carrageenan type on the behaviour of carrageenan/milk mixtures

R. Shepherd, A. Robertson, D. Ofman 281 Dairy glycoconjugate emulsifiers: casein–maltodextrins

L. S. Lai, J. Tung, P. S. Lin 287 Solution properties of hsian-tsao (*Mesona procumbens* Hemsl) leaf gum

T. Sasaki, T. Yasui, J. Matsuki 295 Influence of non-starch polysaccharides isolated from wheat flour on the gelatinization and gelation of wheat starches

S. I. Laneuville, P. Paquin, S. L. Turgeon 305 Effect of preparation conditions on the characteristics of whey protein—xanthan gum complexes

S. Vanapalli, J. N. Coupland 315 Characterization of food colloids by phase analysis light scattering

S. Chen, A. Nussinovitch 319 The role of xanthan gum in traditional coatings of easy peelers

M. Anton, V. Beaumal, G. Gandemer 327 Adsorption at the oil–water interface and emulsifying properties of native granules from egg yolk: effect of aggregated state

A. Ye, H. Singh 337 Influence of calcium chloride addition on the properties of emulsions stabilized by whey protein concentrate

C. Schorsch, M. G. Jones, I. T. Norton 347 Phase behaviour of pure micellar casein/κ-carrageenan systems in milk salt ultrafiltrate

T. Fujii, T. Yano, H. Kumagai, O. Miyawaki 359 Scaling analysis on elasticity of agarose gel near the sol–gel transition temperature

E. Dickinson, J. D. James 365 Influence of high-pressure treatment on β-lactoglobulin–pectin associations in emulsions and gels

H. Zaleska, S. G. Ring, P. Tomasik 377 Apple pectin complexes with whey protein isolate

C. M. Bryant, D. J. McClements 383 Influence of xanthan gum on physical characteristics of heat-denatured whey protein solutions and gels

A. Maroziene, C. G. de Kruif 391 Interaction of pectin and casein micelles

K. Morikawa, K. Nishinari 395 Effects of concentration dependence of retrogradation behaviour of dispersions for native and chemically modified potato starch

C. Schmitt, C. Sanchez, S. Despond, D. Renard, F. Thomas, J. Hardy 403 Effect of protein aggregates on the complex coacervation between β-lactoglobulin and acacia gum at pH 4.2

NUMBER 5

L. Medina-Torres, E. Brito-De La Fuente, B. Torrestiana-Sanchez, R. Katthain 417 Rheological properties of the mucilage gum (*Opuntia ficus indica*)

Y. I. Matveev, V. Y. Grinberg, V. B. Tolstoguzov 425 The plasticizing effect of water on proteins, polysaccharides and their mixtures. Glassy state of biopolymers, food and seeds

C. Calvo, A. Salvador 439 Use of natural colorants in food gels. Influence of composition of gels on their colour and study of their stability during storage

A. B. Rodd, C. R. Davis, D. E. Dunstan, B. A. Forrest, D. V. Boger 445 Rheological characterisation of 'weak gel' carrageenan stabilised milks

P. Montero, J. L. Hurtado, M. Pérez-Mateos 455 Microstructural behaviour and gelling characteristics of myosystem protein gels interacting with hydrocolloids

S. Pezennec, F. Gauthier, C. Alonso, F. Graner, T. Croguennec, G. Brulé, A. Renault 463 The protein net electric charge determines the surface rheological properties of ovalbumin adsorbed at the air–water interface

C. Olsson, M. Stading, A.-M. Hermansson 473 Rheological influence of non-gelling amylopectins on β-lactoglobulin gel structures

K. I. Al-Malah, M. O. J. Azzam, R. M. Omari 485 Emulsifying properties of BSA in different vegetable oil emulsions using conductivity technique

K. I. Al-Malah, M. O. J. Azzam, B. Abu-Jdayil 491 Effect of glucose concentration on the rheological properties of wheat-starch dispersions

M. Srinivasan, H. Singh, P. A. Munro 497 The effect of sodium chloride on the formation and stability of sodium caseinate emulsions

T. Funami, M. Funami, H. Yada, Y. Nakao 509 A rheological study on the effects of heating rate and dispersing method on the gelling characteristics of curdlan aqueous dispersions

NUMBER 6

C. K. Reiffers-Magnani, J. L. Cuq, H. J. Watzke 521 Depletion flocculation and thermodynamic incompatibility in whey protein stabilised O/W emulsions

N. Kampf, A. Nussinovitch 531 Hydrocolloid coating of cheeses

M. Le Denmat, M. Anton, V. Beaumal 539 Characterisation of emulsion properties and of interface composition in O/W emulsions prepared with hen egg yolk, plasma and granules

V. B. Galazka, E. Dickinson, D. A. Ledward 551 Influence of high pressure on interactions of 11S globulin *Vicia faba* with ι-carrageenan in bulk solution and at interfaces

S. Chen, A. Nussinovitch 561 Galactomannans in disturbances of structured wax–hydrocolloid-based coatings of citrus fruit (easy-peelers)

N. A. Abdulmola, R. K. Richardson, E. R. Morris 569 Effect of oxidised starch on calcium pectinate gels

T. S. Nordmark, G. R. Ziegler 579 Quantitative assessment of phase composition and morphology of two-phase gelatin–pectin gels using fluorescence microscopy

F. Simonet, C. Garnier, J.-L. Doublier 591 Partition of proteins in the aqueous guar/dextran two-phase system

B. Biswas, S. Biswas, G. O. Phillips 601 The relationship of specific optical rotation to structural composition for *Acacia* and related gums

S. Takigami, Y. Etoh, G. O. Phillips 609 A comparison of the interaction of water with refined kappa-carrageenean (INS 407) and processed *Eucheuma* seaweed (INS 407A)